

# Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.

10/596,054

Examiner

ERNESTO GARCIA

Applicant(s)

BREITENBACH ET AL.

Art Unit

3679

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

The amendment document filed on 27 May 2008 is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following item(s) is required.

THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

- ☐ 1. Amendments to the specification:
- ☐ A. Amended paragraph(s) do not include markings.
  - ☐ B. New paragraph(s) should not be underlined.
  - ☐ C. Other \_\_\_\_\_.
- ☒ 2. Abstract:
- ☐ A. Not presented on a separate sheet. 37 CFR 1.72.
  - ☒ B. Other The changes to the amended abstract have not been shown.
- ☒ 3. Amendments to the drawings:
- ☐ A. The drawings are not properly identified in the top margin as "Replacement Sheet," "New Sheet," or "Annotated Sheet" as required by 37 CFR 1.121(d).
  - ☐ B. The practice of submitting proposed drawing correction has been eliminated. Replacement drawings showing amended figures, without markings, in compliance with 37 CFR 1.84 are required.
  - ☒ C. Other See Continuation Sheet.
- ☐ 4. Amendments to the claims:
- ☐ A. A complete listing of all of the claims is not present.
  - ☐ B. The listing of claims does not include the text of all pending claims (including withdrawn claims).
  - ☐ C. Each claim has not been provided with the proper status identifier, and as such, the individual status of each claim cannot be identified. Note: the status of every claim must be indicated after its claim number by using one of the following status identifiers: (Original), (Currently amended), (Canceled), (Previously presented), (New), (Not entered), (Withdrawn) and (Withdrawn-currently amended).
  - ☐ D. The claims of this amendment paper have not been presented in ascending numerical order.
  - ☐ E. Other: \_\_\_\_\_.
- ☒ 5. Other (e.g., the amendment is unsigned or not signed in accordance with 37 CFR 1.4):  
See attachment

For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714.

## TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:

1. Applicant is given **no new time period** if the non-compliant amendment is an after-final amendment or an amendment filed after allowance. If applicant wishes to resubmit the non-compliant after-final amendment with corrections, the **entire corrected amendment** must be resubmitted.
2. Applicant is given **one month**, or thirty (30) days, whichever is longer, from the mail date of this notice to supply the correction, if the non-compliant amendment is one of the following: a preliminary amendment, a non-final amendment (including a submission for a request for continued examination (RCE) under 37 CFR 1.114), a supplemental amendment filed within a suspension period under 37 CFR 1.103(a) or (c), and an amendment filed in response to a *Quayle* action. If any of above boxes 1. to 4. are checked, the correction required is only the **corrected section** of the non-compliant amendment in compliance with 37 CFR 1.121.

**Extensions of time** are available under 37 CFR 1.136(a) only if the non-compliant amendment is a non-final amendment or an amendment filed in response to a *Quayle* action.

**Failure to timely respond** to this notice will result in:

**Abandonment** of the application if the non-compliant amendment is a non-final amendment or an amendment filed in response to a *Quayle* action; or

**Non-entry** of the amendment if the non-compliant amendment is a preliminary amendment or supplemental amendment.

/Daniel P. Stodola/  
Supervisory Patent Examiner, Art Unit 3679

Continuation of 3(c) Other: The remarks fail to describe in detail the changes made to each of the sheets. 37 CFR 1.121(d) states: "All changes to the drawings shall be explained, in detail, in either the drawing amendment or remarks section of the amendment paper". The statement that the examiner's suggestions have been adopted is a general statement and does not comply with the rule because it does not explain in any detail what was changed on each of the replacement sheets, especially since all the sheets are said to be amended. Further, in light of the fact that no replacement sheets of drawings have been included, it cannot be determined whether or not the explanation provided could constitute a sufficient detailed explanation of the changes made.